

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	IS&RL	L1	2	("5966625").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 17:11			
2	BRS	L2	11	carrier with mov\$4 with direct\$5 and silicon with substrate with inclin\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 17:29			
3	BRS	L4	13	(carrier or hole) with (mov\$4 or direct\$5) with ("001" or "010" or "100") and silicon with substrate with inclin\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 17:36			
4	BRS	L9	14	(carrier or hole or electron or current) with mov\$4 with direct\$5 and ("001" or "010" or "100" or "110" or "011" or "111" or "101") and silicon with substrate with inclin\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 17:39			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Co mm en ts	Er ro r De fi ni ti on	Er ro rs
5	BRS	L10	15	(carrier or hole or electron or current) with mov\$6 with direct\$5 and ("001" or "010" or "100" or "110" or "011" or "111" or "101") and silicon with substrate with inclin\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 17:50			
6	BRS	L11	7	("5444267" "5514614" "5541422" "5838870" "5869845" "5888852" "5945687").PN. OR ("6171905").URPN.	US-PGPUB; USPAT; USOCR	2005/12/30 17:41			
7	BRS	L13	9	carrier with direct\$5 with silicon with substrate with inclin\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 17:59			
8	BRS	L18	25	carrier with mov\$6 with direct\$5 with ("001" or "010" or "100") same (silicon or substrate) with (inclin\$6 or direct\$5 or orient\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 18:10			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Co mm en ts	Er ro r De fi ni ti on	Er ro rs
9	BRS	L21	3	carrier with mov\$6 with direct\$5 with ("001" or "010" or "100") and (silicon or substrate) with inclin\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 18:12			
10	BRS	L23	18	carrier near mov\$6 near direct\$5 with ("001" or "010" or "100")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 18:20			
11	BRS	L25	26	carrier near mov\$6 near direct\$5 and silicon with substrate with (inclin\$6 or angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 18:33			
12	BRS	L26	8	carrier near mov\$6 near direct\$5 and (silicon or substrate) with (inclin\$6 or angle) with ("001" or "010" or "100")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 18:34			
13	BRS	L27	16	("4564416" "4803173" "4931132" "4987094" "5141893" "5212404" "5230768" "5589421").PN. OR ("5966625").URPN.	US-PGPUB; USPAT; USOCR	2005/12/30 18:50			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Co mm en ts	Er ro r De fi ni ti on	Er ro rs
14	BRS	L28	39	carrier with mov\$6 with direct\$5 and (silicon or substrate) with (inclin\$6 or tilt or angle)with ("001" or "010" or "100")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 19:26			
15	BRS	L29	6	carrier with mov\$6 with direct\$5 with ("001" or "010" or "100") and (silicon or substrate) with (inclin\$6 or tilt or angle)with ("001" or "010" or "100")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 18:58			
16	BRS	L30	13	carrier with mov\$6 with direct\$5 same ("001" or "010" or "100") and (silicon or substrate) with (inclin\$6 or tilt or angle) with ("001" or "010" or "100")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 18:59			
17	BRS	L31	6	("5126804" "5436468" "5530713" "5561080" "5663592").PN. OR ("5886360").URPN.	US-PGPUB; USPAT; USOCR	2005/12/30 19:06			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
18	BRS	L33	14	carrier with mov\$6 with direct\$5 and (silicon or substrate) with (inclin\$6 or tilt or angle) with ("001" or "010" or "100") and anneal\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 19:24			
19	BRS	L35	11	("438"/\$).ccls. and carrier with mov\$6 with direct\$5 and (silicon or substrate) with (inclin\$6 or tilt or angle) with ("001" or "010" or "100")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 19:32			
20	BRS	L34	21	(carrier or hole or electron) with mov\$6 with direct\$5 and (silicon or substrate) with (inclin\$6 or tilt or angle) with ("001" or "010" or "100") and anneal\$4 and step	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 19:52			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
21	BRS	L36	3	((carrier or hole or electron) with mov\$6 with direct\$5 and (silicon or substrate) with (inclin\$6 or tilt or angle) with ("001" or "010" or "100")).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 19:45			
22	BRS	L37	4	("4591889" "5212404").PN. OR ("5523585").URPN.	US-PGPUB; USPAT; USOCR	2005/12/30 19:46			
23	BRS	L38	73	(carrier or hole or electron) with mov\$6 with direct\$5 and (silicon or substrate) with (inclin\$6 or tilt or angle) with ("001" or "010" or "100")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 20:01			
24	BRS	L39	16	("438"/\$).ccls. and (carrier or hole or electron) with mov\$6 with direct\$5 and (silicon or substrate) with (inclin\$6 or tilt or angle) with ("001" or "010" or "100")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 19:57			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Com mm en ts	Er ro r De fi ni ti on	Er ro rs
25	BRS	L40	18	("438"/\$).ccls. and (carrier or hole or electron) with mov\$6 with (direct\$5 or ("001" or "010" or "100")) and (silicon or substrate) with (inclin\$6 or tilt or angle) with ("001" or "010" or "100")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 19:56			
26	BRS	L41	3	("438"/\$).ccls. and (carrier or hole or electron) with mov\$6 with ("001" or "010" or "100") and (silicon or substrate) with (inclin\$6 or tilt or angle) with ("001" or "010" or "100")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 19:56			
27	BRS	L42	26	(carrier or hole or electron) with mov\$6 with ("001" or "010" or "100") and (silicon or substrate) with (inclin\$6 or tilt or angle) with ("001" or "010" or "100")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 19:56			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Com mm en ts	Er ro r De fi ni ti on	Er ro rs
28	BRS	L43	0	("438"/782).ccls. and (carrier or hole or electron) with mov\$6 with direct\$5 and (silicon or substrate) with (inclin\$6 or tilt or angle) with ("001" or "010" or "100")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 19:58			
29	BRS	L44	1	("438"/198).ccls. and (carrier or hole or electron) with mov\$6 with direct\$5 and (silicon or substrate) with (inclin\$6 or tilt or angle) with ("001" or "010" or "100")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 19:57			
30	BRS	L45	2	("438"/149).ccls. and (carrier or hole or electron) with mov\$6 with direct\$5 and (silicon or substrate) with (inclin\$6 or tilt or angle) with ("001" or "010" or "100")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 19:57			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Co mm en ts	Er ro r De fi ni ti on	Er ro rs
31	BRS	L46	1	("438"/503).ccls. and (carrier or hole or electron) with mov\$6 with direct\$5 and (silicon or substrate) with (inclin\$6 or tilt or angle) with ("001" or "010" or "100")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 19:57			
32	BRS	L47	1	("438"/507).ccls. and (carrier or hole or electron) with mov\$6 with direct\$5 and (silicon or substrate) with (inclin\$6 or tilt or angle) with ("001" or "010" or "100")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 19:57			
33	BRS	L52	75	(carrier or hole or electron) with mov\$6 with direct\$5 and (silicon or substrate) with (inclin\$6 or tilt\$4 or angle) with ("001" or "010" or "100")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/30 20:01			